

REDWOOD DISPATCH COMMUNICATIONS AUTHORITY STANDARD OPERATING POLICY

RESOURCE IDENTIFICATIONS


Policy 6


Green denotes the most recent change

Page 1 of 5

Effective: May 28, 2019

Approvals


Spencer Andreis
DOAG Chairperson


Aaron Abbott
REDCOM Executive Director

6.0 RESOURCE IDENTIFICATIONS

- 6.1 Advanced life support (paramedic) ambulances shall use the identifier “MEDIC.”
Basic life support ambulances shall use the identifier “BLS.”
- 6.2 With the exception of Coast Life Support, ambulance resource identification shall utilize a three number identifier, where the first digit corresponds with the Sonoma County Fire Zone number. Assigned numbers for ambulance providers are as follows:
- | | | |
|-------|--------------------------------------|------------------|
| 6.2.1 | Sonoma Valley Fire Rescue Authority: | 300 – 399 |
| 6.2.2 | FALCK: | 500 – 559 |
| 6.2.3 | Russian River Fire District: | 570 – 579 |
| 6.2.4 | LIFWest | 620 – 630 |
| 6.2.5 | Cloverdale Ambulance District: | 640 – 649 |
| 6.2.6 | Bell’s Ambulance: | 680 – 689 |
| 6.2.7 | Sonoma Life Support: | 700 – 799 |
| 6.2.8 | Bodega Bay Fire District: | 810 – 819 |
| 6.2.9 | Petaluma Fire Department: | 990 – 999 |
- 6.3 Coast Life Support District shall use a different numbering scheme in recognition of their dual county role. Their assigned numbers are 120 – 129.
- 6.4 First response supervisory or special events units for:
- | | | |
|-------|---------------------|----------------|
| 6.4.1 | Sonoma Life Support | SLS1-99 |
| 6.4.2 | FALCK | FLK1-99 |
- 6.5 Helicopter resources for Sonoma County (Typical resources)

Reach (Reach 1, 3 & 6)
Calstar (Calstar 4)
Sonoma County Sheriff (Henry 1)

REDWOOD DISPATCH COMMUNICATIONS AUTHORITY STANDARD OPERATING POLICY

RESOURCE IDENTIFICATIONS

Policy 6

Page 2 of 5

Update Date: **May 28, 2019**

California Highway Patrol (H30, 31, 32)
CALFIRE (Copter 104)

6.6 Fire resources for all agencies except CAL Fire and Santa Rosa Fire Department will utilize a four-digit numbering scheme where the first two digits identify the agency and the last two digits identify the resource type.

6.6.1 Agency identifiers are as follows:

County ID	OES MACS ID	Agency Name
11	MEU	CALFIRE Mendocino Unit
12	HUU	CALFIRE Humboldt Unit
14	LNU	CALFIRE Lake-Napa Unit
15	MRN	Marin County FD
28	SCA	Sonoma County Airport FD-STB
31	KWD	Kenwood FPD
33	SON	Sonoma Valley Fire Rescue Authority
34	MYC	Mayacamas VFC
36	SDC	Eldridge FD
38	SCH	Schell Vista FPD
43	FTR	Fort Ross VFC
44	NSC	North Sonoma Coast FPD
45	TIM	Timber Cove FPD
51	FRV	Forestville FPD
52	CAZ	Cazadero VFD/CSD
54	MRO	Monte Rio Fire Protection District
55	CMK	Camp Meeker VFC
56	RRF	Russian River FPD
57	OCD	Occidental VFD/CSD
61	GEY	Geyserville FPD
N61	NOV	Novato FPD
62	KNV	Knights Valley VFC
63	HEA	Healdsburg FD
65	CLD	Cloverdale FPD
67	DCB	Dry Creek Band (Rancheria) FB
71	SRS	Santa Rosa FD
75	SCY	Sonoma County Fire District
81	GFD	Gold Ridge FPD
83	SEB	Sebastopol FD
84	GTN	Graton FPD
85	BFC	Bloomfield VFC
86	VFV	Valley Ford VFC
87	BOD	Bodega VFC

88	BDB	Bodega Bay FPD
91	RAD	Rancho Adobe FPD
94	WLM	Wilmar VFC
95	SAF	San Antonio VFC
96	TWO	Two Rock VFC
97	LKV	Lakeville VFC
98	CGT	US Coast Guard FD
99	ROH	Rohnert Park DPS

REDWOOD DISPATCH COMMUNICATIONS AUTHORITY STANDARD OPERATING POLICY

RESOURCE IDENTIFICATIONS	Policy	6
Page 3 of 5	Update Date:	May 28, 2019

6.6.2 Resource identifiers are as follows:

Chief Officers	00-19
Prevention	20-29
Rescues	30-39
• MCI resources will end in 33	
Utility/Hazmat/Boats	40-49
Trucks	50-55
Type 6 engine	56-59
Type 3 engine (4WD)	60-69
Type 3 engine (2WD)	70-79
Type 1 or 2 engine	80-89
Water tenders	90-99

6.7 CAL Fire uses a statewide identification scheme with an ICS designator for resource type (such as engine) and a four-digit number. The first two digits of the number represent the Ranger Unit of the assigned resource and the last two digits are an assigned unit number for that resource. Resources in the Sonoma-Lake-Napa Unit are assigned 1400 series numbers.

6.8 Santa Rosa Fire Department uses a system with an ICS designator for resource type (such as engine or truck) and a one of two digit number to identify the resource.

6.8.1 Front line apparatus: number of station assigned (potentially 1-19).

6.8.2 Front line second-out staffed apparatus: the numeral 2 is added in front of the station number (potentially 21-219).

6.8.3 Reserve apparatus: the numeral 3 is added in front of the station number (potentially 31 through 319).

6.8.4 Staff identifications for Santa Rosa Fire Department use the four-digit county numbering scheme.

REDWOOD DISPATCH COMMUNICATIONS AUTHORITY STANDARD OPERATING POLICY

RESOURCE IDENTIFICATIONS

Policy 6

Page 4 of 5

Update Date: May 28, 2019

6.9 Chief Officers, company officers, staff personnel and ambulance personnel shall utilize their unit resource identifier no matter whether they are on the unit radio or a portable radio. For example, the captain on Engine 1 is always “Engine One.” If other personnel on a company have portable radios or utilize the unit radio separately from the company officer they shall use the following identifiers:

6.9.1 Driver/Operator: “Pump” (e.g. “Pump 7280”)

6.9.2 Engine Firefighter: “Portable” (e.g. “Portable 7280”)
An alpha designator may be used when it is necessary to identify multiple engine firefighters on the same company (e.g. “Portable 6” and “Portable 6A”).

6.9.3 Truck Firefighter: “Truck_Portable” (e.g. “Truck 1 Portable”)

6.9.4 Truck Tractor Driver: “Truck_Uilities” (e.g. “Truck 1 Utilities”)

6.9.5 Truck Tiller Drive: “Truck_Entry” (e.g. “Truck 1 Entry”)

6.10 Fire agencies may use a generic number to identify their Duty Battalion Chief or Duty Chief, such as “Battalion 72” for the Windsor Duty Battalion Chief or “Duty Chief 61” for the Geyserville Duty Chief.

6.10.1 Two or more agencies that share Battalion Chief or Duty Chief's responsibilities within a single zone may use the zone number to identify the resource, e.g. "Battalion 7".

6.11 The radio identifier for the REDCOM Dispatcher is "REDCOM."

6.12 The radio identifier for the CRO shall be "Control" followed by the control channel number that the CRO is operating, e.g. "Control 2".